

ÜLKEMİZİN DERMOSKOPİK YAYINLARI

Yurt Dışı yayınlar:

1. Fox C, Schaider H, Akalin T, Turkmen M, Sturm R, Lambie D, Karaarslan IK, Soyer HP, Ozdemir F, Gabrielli B. A distinct expression profile separates Turkish and Australian melanocytic naevi. *Histopathology*. 2015 Nov 24.doi: 10.1111/his.12906. [Epub ahead of print]
2. Koseoglu G, Akay BN, Kucuksahin O, Erdem C. Dermoscopic changes in melanocytic nevi in patients receiving immunosuppressive and biologic treatments: results of a prospective case-control study. *J Am Acad Dermatol*. 2015 Oct;73(4):623-9.
3. Göktay F, Güneş P, Yaşar Ş, Güder H, Aytekin S. New observations of intraoperative dermoscopic features of the nail matrix and bed in longitudinal melanonychia.*Int J Dermatol*. 2015 Oct;54(10):1157-62.
4. Duman N, Elmas M. Dermoscopy of cutaneous neurofibromas associated with neurofibromatosis type 1. *J Am Acad Dermatol*. 2015 Sep;73(3):529-31.
5. Mansur AT, Demirci GT, Ozel O, Ozker E, Yıldız S. Acral melanoma with satellitosis, disguised as a longstanding diabetic ulcer: a great mimicry. *Int Wound J*. 2015 Sep 24. doi: 10.1111/iwj.12481. [Epub ahead of print]
6. Güngör Ş, Erdemir AV, Göncü EK, Gürel MS, Özekinci S. A case of dyskeratosiscongenita with dermoscopic and reflectance confocal microscopic features. *J Am Acad Dermatol*. 2015 Jul;73(1):e11-3.
7. Ayhan E, Ucmak D, Akkurt Z. Vascular structures in dermoscopy. *An Bras Dermatol*. 2015 Jul-Aug;90(4):545-53.
8. Emiroglu N, Cengiz FP, Kemeriz F. The relation between dermoscopy and histopathology of basal cell carcinoma. *An Bras Dermatol*. 2015 May-Jun;90(3):351-6.
9. Güngör Ş, Topal IO, Göncü EK. Dermoscopic patterns in active and regressive lichen planus and lichen planus variants: a morphological study. *Dermatol Pract Concept*. 2015 Apr 30;5(2):45-53.
10. Kilinc Karaarslan I, Acar A, Aytimur D, Akalin T, Ozdemir F. Dermoscopic features in fungal melanonychia. *Clin Exp Dermatol*. 2015 Apr;40(3):271-8.
11. Cengiz FP, Emiroglu N, Wellenhof RH. Dermoscopic and clinical features of pigmented skin lesions of the genital area. *An Bras Dermatol*. 2015 Mar-Apr;90(2):178-83.
12. Dervis E, Akin Belli A. Benefits of dermoscopy for skin lesions confusing with tick bite and tick bites confusing with skin lesions. *J Eur Acad Dermatol Venereol*. 2015 Feb 11.doi: 10.1111/jdv.13011. [Epub ahead of print]
13. Kibar M, Aktan Ş, Lebe B, Bilgin M. Trichoscopic findings in alopecia areata and their relation to disease activity, severity and clinical subtype in Turkish patients. *Australas J Dermatol*. 2015 Feb;56(1):e1-6. doi: 10.1111/ajd.12102. Epub 2013 Aug 29.
14. Ayhan E, Ucmak D, Baykara SN, Akkurt ZM, Arica M. Clinical and dermoscopic evaluation of cutaneous leishmaniasis. *Int J Dermatol*. 2015 Feb;54(2):193-201.
15. Kibar M, Aktan Ş, Bilgin M. Dermoscopic findings in scalp psoriasis and seborrheic dermatitis; two new signs; signet ring vessel and hidden hair. *Indian J Dermatol*. 2015 Jan-Feb;60(1):41-5.
16. Akay BN, Unlu E, Erdem C, Heper AO. Dermatoscopic findings of atrophic dermatofibrosarcoma protuberance. *Dermatology Practical &Conceptual* 2015; 5(1)12.
17. Emiroglu N, Pelin Cengiz F, Hofmann-Wellenhof R. Dermoscopic and clinical features of trunk melanomas. *Postepy Dermatol Alergol*. 2014 Dec;31(6):362-7.
18. Ekiz O, Sen BB, Rifaioglu EN, Balta I. Trichoscopy in paediatric patients with tinea capitis: a useful method to differentiate from alopecia areata. *J Eur Acad Dermatol Venereol*. 2014 Sep;28(9):1255-8.
19. Kibar M, Aktan S, Bilgin M. Scalp dermatoscopic findings in androgenetic alopecia and their relations with disease severity. *Ann Dermatol*. 2014 Aug;26(4):478-84.
20. Senel E. Dermatoscopy: A multicolored lesion on the forehead. *Dermatol Pract Concept*. 2014 Jul 31;4(3):73-4.
21. Meltem Akkurt Z, Tuncel T, Ayhan E, Uçmak D, Uluca U, Uçak H. Rapid and easy diagnosis of Netherton syndrome with dermoscopy. *J Cutan Med Surg*. 2014 Jul-Aug;18(4):280-2.
22. Unlu E, Akay BN, Erdem C. Comparison of dermatoscopic diagnostic algorithms based on calculation: The ABCD rule of dermatoscopy, the seven-point checklist, the three-point checklist and the CASH algorithm in dermatoscopic evaluation of melanocytic lesions. *J Dermatol*. 2014 Jul;41(7):598-603.
23. Güngör S, Büyükbabani N, Büyük M, Tarıkçı N, Kocatürk E. Atrophic dermatofibrosarcoma protuberans: are there specific dermatoscopic features? *J Dtsch Dermatol Ges*. 2014 May;12(5):425-7.

24. Ozdemir EE, Güleç AT. Clinical evaluation of postoperative pressure-induced alopecia using a hand-held dermatoscope. *Int J Dermatol.* **2014** Apr;53(4):e309-10.
25. Biyik Ozkaya D, Onsun N, Su O, Arda Ulusal H, Pirmit S. Pitfalls of an automated dermoscopic analysis system in the differential diagnosis of melanocytic lesions. *Acta Dermatovenerol Croat.* **2014**;22(4):278-83.
26. Ayhan E, Ertugay O, Gundogdu R. Three different dermoscopicview of three new cases with pilomatrixoma. *Int J Trichology.* **2014** Jan;6(1):21-2.
27. Duman N, Sahin S, Ozaygen GE, Gököz O. 5. Dermoscopy of satellite metastasis of balloon cell melanoma. *J Am Acad Dermatol.* **2014** Jul;71(1):e11-2.
28. Ayhan E, Alabalik U, Avci Y. Dermoscopic evaluation of two patients with lupus miliaris disseminatus faciei. *Clin Exp Dermatol.* **2014** Jun;39(4):500-2.
29. Sgouros D, Piana S, Argenziano G, Longo C, Moscarella E, Karaarslan IK, Akalin T, Ozdemir F, Zalaudek I. Clinical, Dermoscopic and Histopathological Features of Eccrine Poroid Neoplasms. *Dermatology.* **2013** Nov; 227(2): 175-9.
30. Dogan S, Akdogan A, Atakan N. Nailfold capillaroscopy in systemic sclerosis: is there any difference between videocapillaroscopy and dermatoscopy? *Skin Res Technol.* **2013** Nov;19(4):446-9.
31. Lallas A, Reggiani C, Argenziano G, Kyrgidis A, Bakos R, Masiero NC, Scheibe AB, Cabo H, Ozdemir F, Sortino-Rachou AM, Turk BG, Moscarella E, Longo C, Zalaudek I. Dermoscopic nevus patterns in skin of colour: a prospective, cross-sectional, morphological study in individuals with skin type V and VI. *J Eur Acad Dermatol Venereol.* **2013** Nov 16. doi: 10.1111/jdv.12316. [Epub ahead of print]
32. Çayırı M, Köse O, Demiriz M. Dermatoscopy of facial non-pigmented actinic keratosis regarding to grades of the lesions. *J Eur Acad Dermatol Venereol.* **2013** Sep;27(9):1185-7.
33. Kibar M, Aktan S, Lebe B, Bilgin M. Trichoscopic findings in alopecia areata and their relation to disease activity, severity and clinical subtype in Turkish patients. *Australas J Dermatol.* **2013** Aug 29. doi: 10.1111/ajd.12102. [Epub ahead of print].
34. Kaçar N, Demirkan N. Plantar wart with parallel ridge pattern in a patient with a previous history of melanoma: a diagnostic challenge. *Australas J Dermatol.* **2013** Aug;54(3):e78-9.
35. Pelin Guvenc S, Leander RW, Kefel S, Rader RK, Hinton KA, Stricklin SM, Stoecker WV. Region growing by sector analysis for detection of blue-gray ovoids in basal cell carcinoma. *Skin Res Technol.* **2013** Aug;19(3):258-64.
36. Yücel A, Günaşti S, Denli Y, Uzun S. Cutaneous leishmaniasis: new dermoscopic findings. *Int J Dermatol.* **2013** Jul;52(7):831-7.
37. Hacioglu S, Saricaoglu H, Baskan EB, Uner SI, Aydogan K, Tunali S. The value of spectrophotometric intracutaneous analysis in the noninvasive diagnosis of nonmelanoma skin cancers. *Clin Exp Dermatol.* **2013** Jul;38(5):464-9.
38. Çayırı M, Köse O, Demiriz M. Clinical, dermoscopic and immunohistochemical assessment of actinic keratoses and evaluation of the effectiveness of diclofenac therapy with immunohistochemical analysis. *Arch Dermatol Res.* **2013** Jul;305(5):389-95.
39. Menzies SW, Moloney FJ, Byth K, Avramidis M, Argenziano G, Zalaudek I, Braun RP, Malvehy J, Puig S, Rabinovitz HS, Oliviero M, Cabo H, Bono R, Pizzichetta MA, Claeson M, Gaffney DC, Soyer HP, Stanganelli I, Scolyer RA, Guitera P, Kelly J, McCurdy O, Llambrich A, Marghoob AA, Zaballos P, Kirchesch HM, Piccolo D, Bowling J, Thomas L, Terstappen K, Tanaka M, Pellacani G, Pagnanelli G, Ghigliotti G, Ortega BC, Crafter G, Ortiz AM, Tromme I, Karaarslan IK, Ozdemir F, Tam A, Landi C, Norton P, Kaçar N, Rudnicka L, Slowinska M, Simionescu O, Di Stefani A, Coates E, Kreusch J. Dermoscopic evaluation of nodular melanoma. *JAMA Dermatol.* **2013** Jun;149(6):699-709.
40. Başak PY, Hofmann-Wellenhof R, Massone C. Three cases of reverse pigment network on dermatoscopy with three distinctive histopathologic diagnoses. *Dermatol Surg.* **2013** May;39(5):818-20.
41. Isik B, Gurel MS, Erdemir AT, Kesmezacar O. Development of skin aging scale by using dermoscopy. *Skin Res Technol.* **2013** May;19(2):69-74.
42. Özden MG, Maier T, Bek Y, Ruzicka T, Berking C. Cytodiagnosis of erosive melanoma and basal cell carcinoma of the skin using cutaneous tissue smear. *Clin Exp Dermatol.* **2013** Apr;38(3):251-61.
43. Aydingoz IE, Mansur AT, Dikicioglu-Cetin E. Arborizing vessels under dermoscopy: a case of cellular neurothekeoma instead of basal cell carcinoma. *Dermatol Online J.* **2013** Mar 15;19(3):5.
44. Turk BG, Bozkurt A, Yaman B, Ozdemir F, Unal I. Melanoma arising in chronic ulceration associated with lymphoedema. *J Wound Care.* **2013** Feb; 22(2): 74-75.
45. Guvenc P, LeAnder RW, Kefel S, Stoecker WV, Rader RK, Hinton KA, Stricklin SM, Rabinovitz HS, Oliviero M, Moss RH. Sector expansion and elliptical modeling of blue-gray ovoids for basal cell carcinoma discrimination in dermoscopy images. *Skin Res Technol.* **2013** Feb;19(1):e532-6.

46. Emre Celebi M, Wen Q, Hwang S, Iyatomi H, Schaefer G. Lesion border detection in dermoscopy images using ensembles of thresholding methods. *Skin Res Technol.* **2013** Feb;19(1):e252-8.
47. Turan E, Erdemir AT, Gurel MS, Yurt N. A new diagnostic technique for tinea incognito: in vivo reflectance confocal microscopy. Report of five cases. *Skin Res Technol.* **2013** Feb;19(1):e103-7.
48. Abbas Q, Emre Celebi M, Garcia IF, Ahmad W. Melanoma recognition framework based on expert definition of ABCD for dermoscopic images. *Skin Res Technol.* **2013** Feb;19(1):e93-102.
49. Şenel E, Baba M, Durdu M. The contribution of teledermatoscopy to the diagnosis and management of non-melanocytic skin tumours. *J Telemed Telecare.* **2013** Jan;19(1):60-3.
50. Aydingoz IE, Dikicioglu-Cetin E. Sclerosing cellular blue nevus simulating melanoma. *Dermatol Online J* **2012** Nov 15; 18 (11):11.
51. Gencoglan G, Ozdemir F. Nonmelanoma skin cancer of the head and neck: clinical evaluation and histopathology. *Facial Plast Surg Clin North Am.* **2012** Nov;20(4):423-35.
52. Sezer E, Erkek E, Duman D, Sahin S, Cetin E. Dermatoscopy as an adjunctive diagnostic tool in aquagenic syringeal acrokeratoderma. *Dermatology.* **2012** Nov; 225(2): 97-9.
53. Tasli L, Kaçar N, Argenziano G. A scientometric analysis of dermoscopy literature over the past 25 years. *J Eur Acad Dermatol Venereol.* **2012** Sep;26(9):1142-824.
54. Stanganelli I, Argenziano G, Sera F, Blum A, Ozdemir F, Karaarslan IK, Piccolo D, Peris K, Kirchesch H, Bono R, Pizzichetta MA, Gasparini S, Braun RP, Correia O, Thomas L, Zaballos P, Puig S, Malvehy J, Scalvenzi M, Rabinovitz H, Bergamo A, Pellacani G, Longo C, Pavlovic M, Rosendahl C, Hofmann-Wellenhof R, Cabo H, Marghoob AA, Langford D, Astorino S, Manganoni AM, Gourhant JY, Keir J, Grichnik JM, Fumo G, Dong H, Sortino Rachou AM, Ferrara G, Zalaudek I. Dermoscopy of scalp tumours: a multi-centre study conducted by the international dermoscopy society. *J Eur Acad Dermatol Venereol.* **2012** Aug; 26(8): 953-63.
55. Karadağ Köse Ö, Güleç AT. Clinical evaluation of alopecias using a handheld dermatoscope. *J Am Acad Dermatol.* **2012** Aug;67(2):206-14.
56. Kaçar N, Sanlı B, Zalaudek I, Yıldız N, Ergin S. Dermatoscopy for monitoring treatment of actinic keratosis with imiquimod. *Clin Exp Dermatol.* **2012** Jul;37(5):567-9.
57. Argenziano G, Cerroni L, Zalaudek I, Staibano S, Hofmann-Wellenhof R, Arpaia N, Bakos RM, Balme B, Bandic J, Bandelloni R, Brunasso AM, Cabo H, Calcara DA, Carlos-Ortega B, Carvalho AC, Casas G, Dong H, Ferrara G, Filotico R, Gómez G, Halpern A, Ilardi G, Ishiko A, Kandiloglu G, Kawasaki H, Kobayashi K, Koga H, Kovalyshyn I, Langford D, Liu X, Marghoob AA, Mascolo M, Massone C, Mazzoni L, Menzies S, Minagawa A, Nugnes L, Ozdemir F, Pellacani G, Seidenari S, Siamas K, Stanganelli I, Stoecker WV, Tanaka M, Thomas L, Tschandl P, Kittler H. Accuracy in melanoma detection: a 10-year multicenter survey. *J Am Acad Dermatol.* **2012** Jul;67(1):54-9.
58. Dogan S, Akdogan A, Sahin S. Can end organ damage in scleroderma be predicted based on nail fold dermatoscopy findings? *J Dermatol.* **2012** Apr;39(4):416-8.
59. Kokgil TD, Ekmekci TR, Yasar S. Videodermoscopic pattern analysis of acral melanocytic nevi. *J Dermatol.* **2012** Mar;39(3):290-4.
60. Argenziano G, Zalaudek I, Hofmann-Wellenhof R, Bakos RM, Bergman W, Blum A, Broganelli P, Cabo H, Caltagirone F, Catricalà C, Coppini M, Dewes L, Francia MG, Garrone A, Turk BG, Ghigliotti G, Giacomet J, Gourhant JY, Hlavín G, Kukutsch N, Lipari D, Melchionda G, Ozdemir F, Pellacani G, Pellicano R, Puig S, Scalvenzi M, Sortino-Rachou AM, Virgili AR, Kittler H. Total body skin examination for skin cancer screening in patients with focused symptoms. *J Am Acad Dermatol.* **2012** Feb;66(2):212-9.
61. Durdu M, Baba M, Seçkin D. Dermatoscopy versus Tzanck smear test: a comparison of the value of two tests in the diagnosis of pigmented skin lesions. *J Am Acad Dermatol.* **2011** Nov;65(5):972-82.
62. Blum A, Simionescu O, Argenziano G, Braun R, Cabo H, Eichhorn A, Kirchesch H, Malvehy J, Marghoob AA, Puig S, Ozdemir F, Stolz W, Tromme I, Weigert U, Wolf IH, Zalaudek I, Kittler H. Dermoscopy of pigmented lesions of the mucosa and the mucocutaneous junction: results of a multicenter study by the International Dermoscopy Society (IDS). *Arch Dermatol.* **2011** Oct;147(10):1181-7.
63. Eskizmir G, Gencoglan G, Temiz P, Ermertcan AT. Angiokeratoma circumscriptum of the tongue. *Cutan Ocul Toxicol.* **2011** Sep;30(3):231-3.
64. Bakar O, Ince U. A rare tumor of the face: malignant nodular hidradenoma with dermoscopic features mimicking amelanotic melanoma. *J Cutan Med Surg.* **2011** May-Jun;15(3):167-71.
65. Turk BG, Turkmen M, Karaarslan IK, Aydogdu S, Akalin T, Ozdemir F. Blue rubber bleb nevus syndrome: a case report with dermatoscopic features. *Clin Exp Dermatol.* **2011** Mar;36(2):211-3.
66. Tasli L, Oguz O. The role of various immersion liquids at digital dermoscopy in structural analysis. *Indian J Dermatol Venereol Leprol.* **2011** Jan-Feb;77(1):110.

67. Senel E. Dermatoscopy of non-melanocytic skin tumors. *Indian J Dermatol Venereol Leprol.* **2011** Jan-Feb;77(1):16-21; quiz 22. Review.
68. Gencoglan G, Inanir I, Miskioglu M, Temiz P. Acral amelanotic verrucous melanoma: dermoscopic findings. *Dermatol Surg.* **2011** Jan;37(1):107-10.
69. Ilknur T, Biçak MÖ, Eker P, Ellidokuz H, Özkan S. Effects of the 810-nm diode laser on hair and on the biophysical properties of skin. *J Cosmet Laser Ther.* **2010** Dec;12(6):269-75.
70. Zaballos P, Carulla M, Ozdemir F, Zalaudek I, Bañuls J, Llambrich A, Puig S, Argenziano G, Malvehy J. Dermoscopy of pyogenic granuloma: a morphological study. *Br J Dermatol.* **2010** Dec;163(6):1229-37.
71. Akay BN, Kocyigit P, Heper AO, Erdem C. Dermatoscopy of flat pigmented facial lesions: diagnostic challenge between pigmented actinic keratosis and lentigo maligna. *Br J Dermatol.* **2010** Dec;163(6):1212-7.
72. Tabanlioğlu Onan D, Sahin S, Gököz O, Erkin G, Cakır B, Elçin G, Kayıkçıoğlu A. Correlation between the dermatoscopic and histopathological features of pigmented basal cell carcinoma. *J Eur Acad Dermatol Venereol.* **2010** Nov; 24(11): 1317-25.
73. Oztas MO. Clinical and dermoscopic progression of subungual hematomas. *Int Surg.* **2010** Jul-Sep;95(3):239-41.
74. Kaçar N, Tasli L, Argenziano G, Demirkhan N. Reticulohistiocytosis: different dermatoscopic faces and a good response to methotrexate treatment. *Clin Exp Dermatol.* **2010** Jun;35(4):e120-2.
75. Akay BN, Sanli H, Topcuoglu P, Arat M, Akyol A. Nailfold capillary abnormalities are prevalent in sclerodermod graftversus-host disease and readily detected with dermatoscopy. *Br J Dermatol.* **2010** May;162(5):1076-82.
76. Yucel A, Gunasti S, Aksungur VL. The influence of training on the recognition of gross features of dermoscopy images. *Indian J Dermatol Venereol Leprol.* **2010** Mar-Apr;76(2):132-7.
77. Gereli MC, Onsun N, Atilganoglu U, Demirkesen C. Comparison of two dermoscopic techniques in the diagnosis of clinically atypical pigmented skin lesions and melanoma: seven-point and three-point checklists. *Int J Dermatol.* **2010** Jan;49(1):33-8.
78. Kilinc Karaarslan I, Ozdemir F, Akalin T, Ozturk G, Turk BG, Kandiloglu G. Eruptive disseminated Spitz naevi: dermatoscopic features. *Clin Exp Dermatol.* **2009** Dec;34(8):e807-10.
79. Gencoglan G, Karaarslan IK, Akalin T, Ozdemir F. Trichilemmal cyst with homogeneous blue pigmentation on dermatoscopy. *Australas J Dermatol.* **2009** Nov;50(4):301-2.
80. Ertam I, Akalin T, Unal I, Ozdemir F. Hobnail haemangioma: dermatoscopic findings facilitating the differential diagnosis. *Clin Exp Dermatol.* **2009** Oct;34(7):e231-3.
81. Kilinc-Karaarslan I, Akalin T, Ozdemir F. Lentigo maligna melanoma with folliculotropism: dermatoscopic features during rapid progression. *Arch Dermatol.* **2009** Jun;145(6):725-6.
82. Ertam I, Turk BG, Urkmez A, Kazandi A, Ozdemir F. Linear and whorled nevoid hypermelanosis: dermatoscopic features. *J Am Acad Dermatol.* **2009** Feb;60(2):328-31.
83. Akay BN, Kittler H, Sanli H, Harmankaya K, Anadolu R. Dermatoscopic findings of cutaneous mastocytosis. *Dermatology.* **2009**;218(3):226-30.
84. Oztas P, Polat M, Oztas M, Alli N, Ustun H. Bonbon toffee sign: a new dermatoscopic feature for sebaceous hyperplasia. *J Eur Acad Dermatol Venereol.* **2008** Nov;22(10):1200-2.
85. Ozdemir F, Kilinc-Karaarslan I, Akalin T. A pigmented, hemorrhagic genital wart: clinical, dermatoscopic, and histopathologic features. *Arch Dermatol.* **2008** Aug;144(8):1072-3.
86. Akin FY, Ertam I, Ceylan C, Kazandi A, Ozdemir F. Clear cell acanthoma: new observations on dermatoscopy. *Indian J Dermatol Venereol Leprol.* **2008** May-Jun;74(3):285-7.
87. Ozdemir F, Karaarslan IK, Akalin T. Variations in the dermatoscopic features of acquired acral melanocytic nevi. *Arch Dermatol.* **2007** Nov;143(11):1378-84.
88. Oztas MO, Gurer MA. Dermoscopic features of accessory nipples. *Int J Dermatol.* **2007** Oct;46(10):1067-8.
89. Aktürk AS, Bilen N, Bayramgürler D, Demirsoy EO, Erdogan S, Kiran R. Dermoscopy is a suitable method for the observation of the pregnancy-related changes in melanocytic nevi. *J Eur Acad Dermatol Venereol.* **2007** Sep;21(8):1086-90.
90. Kilinc Karaarslan I, Gencoglan G, Akalin T, Ozdemir F. Different dermatoscopic faces of dermatofibromas. *J Am Acad Dermatol.* **2007** Sep;57(3):401-6.
91. Gencoglan G, Gerceker-Turk B, Kilinc-Karaarslan I, Akalin T, Ozdemir F. Dermoscopic findings in Laugier-Hunziker syndrome. *Arch Dermatol.* **2007** May;143(5):631-3.
92. Kilinc Karaarslan I, Teban L, Dawid M, Tanew A, Kittler H. Changes in the dermatoscopic appearance of melanocytic naevi after photochemotherapy or narrow-band ultraviolet B phototherapy. *J Eur Acad Dermatol Venereol.* **2007** Apr;21(4):526-31.

93. Bowling J, Argenziano G, Azenha A, Bandic J, Bergman R, Blum A, Cabo H, Di Stephani A, Grichnik J, Halpern A, Hofman-Wellenhof R, Johr R, Kittler H, Kopf A, Kreusch J, Langford D, Malvehy J, Marghoob A, Menzies S, Ozdemir F, Peris K, Piccolo D, Pizzichetta MA, Polsky D, Puig S, Rabinovitz H, Rubegni P, Saida T, Scalvenzi M, Seidenari S, Soyer HP, Tanaka M, Zalaudek I, Braun RP. Dermoscopy key points: recommendations from the international dermoscopy society. *Dermatology*. 2007;214(1):3-5.
94. Kilinc Karaarslan I, Akalin T, Unal I, Ozdemir F. Atypical melanosis of the foot showing a dermoscopic feature of the parallel ridge pattern. *J Dermatol*. 2007 Jan;34(1):56-9.
95. Ekmekci TR, Koslu A. Phototrichogram findings in women with androgenetic alopecia. *Skin Res Technol*. 2006 Nov; 12(4): 309-12.
96. Demirtasoglu M, Ilknur T, Lebe B, Kuşku E, Akarsu S, Ozkan S. Evaluation of dermoscopic and histopathologic features and their correlations in pigmented basal cell carcinomas. *J Eur Acad Dermatol Venereol*. 2006 Sep;20(8):916-20.
97. Ozdemir F, Kilinc I, Akalin T. Homogeneous blue pigmentation in dermatofibroma simulating a blue naevus. *J Eur Acad Dermatol Venereol*. 2006 Jul;20(6):733-4.
98. Ilknur T, Fetil E, Akarsu S, Altiner DD, Ulukus C, Güneş AT. Angioma serpiginosum: dermoscopy for diagnosis, pulsed dye laser for treatment. *J Dermatol*. 2006 Apr;33(4):252-5.
99. Sahin MT, Demir MA, Gunduz K, Ozturkcan S, Türel-Ermertcan A. Targetoid haemosiderotic haemangioma: dermoscopic monitoring of three cases and review of the literature. *Clin Exp Dermatol*. 2005 Nov;30(6):672-6. Review.
100. Erkol B, Moss RH, Stanley RJ, Stoecker WV, Hvatum E. Automatic lesion boundary detection in dermoscopy images using gradient vector flow snakes. *Skin Res Technol*. 2005 Feb;11(1):17-26.
101. Sahin MT, Ozturkcan S, Ermertcan AT, Güneş AT. A comparison of dermoscopic features among lentigo senilis/initial seborrheic keratosis, seborrheic keratosis, lentigo maligna and lentigo maligna melanoma on the face. *J Dermatol*. 2004 Nov;31(11):884-9.
102. Argenziano G, Soyer HP, Chimenti S, Talamini R, Corona R, Sera F, Binder M, Cerroni L, De Rosa G, Ferrara G, Hofmann-Wellenhof R, Landthaler M, Menzies SW, Pehamberger H, Piccolo D, Rabinovitz HS, Schiffner R, Staibano S, Stolz W, Bartenev I, Blum A, Braun R, Cabo H, Carli P, De Giorgi V, Fleming MG, Grichnik JM, Grin CM, Halpern AC, Johr R, Katz B, Kenet RO, Kittler H, Kreusch J, Malvehy J, Mazzocchetti G, Oliviero M, Ozdemir F, Peris K, Perotti R, Perusquia A, Pizzichetta MA, Puig S, Rao B, Rubegni P, Saida T, Scalvenzi M, Seidenari S, Stanganelli I, Tanaka M, Westerhoff K, Wolf IH, Braun-Falco O, Kerl H, Nishikawa T, Wolff K, Kopf AW. Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. *J Am Acad Dermatol*. 2003 ;48:679-693.
103. Sahin MT, Demir MA, Yoleri L, Can M, Ozturkcan S. Blue naevus with satellitosis mimicking malignant melanoma. *J Eur Acad Dermatol Venereol*. 2001 Nov;15(6):570-3.

Yurt içi yayınlar:

1. Özbağışvan Ö, Lebe B, Akarsu S, Fetil E. Kutanoz melanomlu olgulardaki dermoskopik özellikler ile histopatolojik prognostic belirteçlerin ilişkisinin araştırılması. *TURKDERM* 2015; 49: 200 – 207.
2. Dicle Ö. Trikoskopi. *Turk J Dermatol* 2015; 9: 65-71.
3. Cengiz FP, Emiroğlu N, Hofmann-Wellenhof R. Ekstremiteler melanomlarının klinik ve dermoskopik özellikleri. *TURKDERM* 2015; 49: 13 – 17.
4. Turan H, Uslu E, Başkan E, Aliağaoğlu C. Traksiyon Alopeside Tanısal Dermoskopik Bir İpucu: Peripilar Keratin Kılıfı. *Turkiye Klinikleri J Dermatol* 2015;25(3):113-5.
5. Güleç AT. Alopesilerde trikoskopi. *TURKDERM* 2014; 48:19 – 23.
6. Emre S, Akoğlu G, Metin A, Çinkaya A, Süngü N, Aydoğmuş S, Sivaslioğlu A. Pigmente Vulvar Lezyonlarının Dermoskopî Özelliklerinin İncelenmesi. *Türk Dermatoloji Derneği*, 2014;8(1):12-18.
7. Karaca F, Öztaş M, Gürer MA. Dar bant UVB, UVA1 ve PUVA Tedavilerinin Melanositik Nevusların Dermoskopik Bulguları Üzerine Etkileri. *Türkderm* 2014;48:26-30.
8. Kilinc Karaarslan I. Dermoskopide hasta yönetimi *Türkderm* 2014; 48:2-6.
9. Özdemir F, Kilinc Karaarslan I, Gerçekler Türk B, Şahin S, Şahin MT, Oğuz O, Öztaş MO, Arca E, Mansur T, Karabulut AA, Kaçar N. Dermoskopik Terminolojinin Dilimize Uyarlanması: *Türk Dermatoloji Derneği Dermoskopî Çalışma Grubu Uzlaşısı Türk Dermatoloji Derneği*, 2013;7(4): 206-235.

10. Akoğlu G, Metin A, Emre S, Demirseren D, Orhun Yavuz S. Gentian Violet ve Dermatoskopi Uygulamasıyla Tanı Konan Bir Dissemine Aktinik Süperfisiyel Porokeratoz Olgusu. *Turkiye Klinikleri J Dermatol* 2013;23(2):69-72.
11. Sezer E, Öztürk Durmaz E, Dikicioğlu Çetin E, Şahin S. Liken Aureus: Dermoskopik Bulgular Işığında Bir Olgu Sunumu. *Turkiye Klinikleri J Dermatol* 2013;23(1):17-20.
12. Şahin MT, Soyal MC. Deri Tümörlerinde Dermoskopi. *Turkiye Klinikleri J Dermatol-Special Topics* 2013;6(3):80-91.
13. Alkurt Kayıkçı M, Arıcan Ö. Alopesi Areata Hastalarının Dermoskopik Bulguları. *Turkiye Klinikleri J Med Sci* 2012;32(4):1064-71.
14. Turgut Erdemir VA, Gürel MS. Dermatolojide Yeni Bir Tanı Yöntemi: Reflektans Konfokal Mikroskopi. *Turkiye Klinikleri J Dermatol* 2012;22(1):34-46
15. Türel Emertcan A, Gençoğlan G, Demirer O, Öztürk F, Temiz P. Epidermal Nevusun Akantozis Nigrikans Formu ve Literatürün Gözden Geçirilmesi. *Turkiye Klinikleri J Dermatol* 2011;21(1):47-51
16. Yücel A. Hiperpigmentasyon Tanısında Epiluminesans Mikroskopinin Yeri. *Turkiye Klinikleri J Cosm Dermatol-Special Topics* 2011;4(2):8-12. *Turkiye Klinikleri Kozmetik Dermatoloji Özel Dergisi*.
17. Taşlı L, Kaçar N, Demirkan N, Aydemir EH. Tanınız nedir? *Turkderm* 2011;45:222-3.
18. Gökdemir A, Güler Özden M, Bek Y, Aydın F, Şentürk N, Cantürk T, Turanlı AY. Melanositik ve non-melanositik lezyonlarda dermoskopik ve histopatolojik tanı korelasyonu. *Turkiye Klinikleri J Dermatol* 2011;21:7-16.
19. Güler Özden M, Aydın F, Şentürk N, Cantürk T, Turanlı AY. Diskeratozis konjenitanın dermoskopik bulguları. *Turkiye Klinikleri J Dermatol* 2011;21:83-6.
20. Canpolat F, Kaya Akış H, Akay BN, Erdem C. Akral melanositik nevüslerin dermoskopik özellikleri. *Turkderm* 2011;45:193-7.
21. Şahin S. Dermatoskopi: nereye doğru? *Turkderm* 2011;45:167.
22. Oğuz O. Scalp dermoscopy: an absorbing perspective to discriminate disorders of the hair and scalp. *J Turk Acad Dermatol* 2011; 5(4): 1154e1.
23. Akay BN, Erdem C. The evaluation of dermoscopic findings in basal cell carcinoma. *J Turk Acad Dermatol* 2010; 4(3): 04301a.
24. Kılınç Karaarslan I, Bıyıklı EY, Akalın T, Özdemir F. Seboreik keratozların dermoskopik özellikleri; yalancı melanositik lezyon kriterlerinin yeri nedir? *Türk Dermatoloji Dergisi* 2009; 3 :1-4.
25. Kılınç Karaarslan I, Erçal H.E, Ertam İ, Türkmen M, Gerçekler Türk B, Özdemir F. Pigmente lezyon değerlendirilmesinde geriyatrik hasta: izlem önerilmeli mi? *Turkish Journal of Geriatrics* 2009;12: 124-129.
26. Özdemir F, Kılınç Karaarslan I, Türkmen M, Kazandi AC, Alper S. Liken planus benzeri keratozisin tanısındadermoskopi. *Turkiye Klinikleri J Dermatol* 2008;18:48-51.
27. Gereli Çelebi M, Onsun N, Atılganoğlu U. Melanomun dermoskopik tanısında 3 özellik kontrol listesi ile 7 özellik kontrol listesinin karşılaştırılması. *Turkderm* 2008;42:45-50.
28. Kılınç Karaarslan I, Akalın T, Özdemir F. Compound nevus mimicking a seborrheic keratosis: a keratotic melanocytic nevus without any dermoscopic criteria for a melanocytic lesion. *J Turk Acad Dermatol* 2008;2(3):82301c.
29. Ersoy Evans S, Gündüz Ö, Erkin G, Boztepe G, Şahin S, Özkaya O. Spitz nevüsün klinik, dermoskopik ve histopatolojik özellikleri. *Türk Dermatoloji Dergisi* 2008;2:93-8.
30. Borlu M, Yüksel ME. Melanom otomatik teşhis için dermoskopik görüntülerden bir görüntü işleme sistemigeliştirilmesi: ön çalışma. *Türk Dermatoloji Dergisi* 2008;2:111-5.
31. Kılınç Karaarslan I, Türkmen M, Akalın T, Gencoglan G, Özdemir F. Atipik bir pigment bazal hücreli karsinomaolgu ve tanida dermoskopinin yeri. *Ege Tıp Dergisi* 2008;47: 69-71.
32. Kılınç Karaarslan I, Türkmen M, Ürkmez A, Karaca N, Akalın T, Özdemir F. Spitzoid Melanom: On Yaşında Erkek Olgu. *Güncel Pediatri Dergisi* 2008; 6 : 127-9.
33. Kılınç Karaarslan I, Türkmen M, Akalın T, Özdemir F. Dev pedünküle seboreik keratoz: nadir bir klinik görünüm ve dermoskopinin tanıdaki rolü. *Sürekli Tıp Eğitimi Dergisi* 2008;17:7-9.
34. Şahin S, Gököz Ö. Dermoskopide histolojik korelasyon. *Turkiye Klinikleri J Int Med Sci* 2007; 3(35): 74-80.
35. Koçyiğit Müştak P. Paraziter infestasyonlarda dermoskopi. *Turkiye Klinikleri J Int Med Sci* 2007; 3(35): 72-73.
36. Akay BN. El içi, ayak tabanı ve tırnak lezyonlarında dermoskopi. *Turkiye Klinikleri J Int Med Sci* 2007; 3(35): 64-71.
37. Borlu M. Mukoza hastalıklarında dermoskopi. *Turkiye Klinikleri J Int Med Sci* 2007; 3(35): 58-63.
38. Türsen Ü. İnflamatuvardermatozlarda dermoskopi. *Turkiye Klinikleri J Int Med Sci* 2007; 3(35): 51-7.
39. Öztaş MO. Vasküler lezyonlarda dermoskopi. *Turkiye Klinikleri J Int Med Sci* 2007; 3(35): 49-50.

40. Akay BN. Bazal hücreli karsinomada dermoskopi. *Türkiye Klinikleri J Int Med Sci* 2007; 3(35): 44-48.
41. Arca E. Nonmelanositer benign kutanöz neoplazilerde dermoskopi. *Türkiye Klinikleri J Int Med Sci* 2007; 3(35): 38-43.
42. Şahin MT. Melanoma in situ ve melanomda dermoskopi. *Türkiye Klinikleri J Int Med Sci* 2007; 3(35): 24-37.
43. Özdemir F, Kılınç Karaarslan I. Benign melanositik neoplazilerde dermoskopi. *Türkiye Klinikleri J Int Med Sci* 2007;3(35): 10-23.
44. Boyvat A. Dermoskopik tanıda 3 ve 7 puanlı kontrol listeleri. *Türkiye Klinikleri J Int Med Sci* 2007; 3(35): 5-9.
45. Akay BN. Dermoskopik tanıda algoritma. *Türkiye Klinikleri J Int Med Sci* 2007; 3(35): 1-4.
46. Kutlu S, Kızıvanç Altunay İ, Köşlü A. Demographic, clinical and dermoscopic characteristics of congenital melanocytic nevi. *J Turk Acad Dermatol* 2007;1(3):71401a.
47. Özdemir F. Melanom Tanısı. *Türkderm* 2007; 41 Özel sayı 2: 6-14.
48. Kılınç Karaarslan I, Türkmen M, Yazkan F, Akalın T, Özdemir F. Dermoskopik tanı için tuzak olgu özelliğinde olan bir pigment bazal hücreli karsinoma olgusu. *Türk Dermatoloji Dergisi* 2007;1:24-6.
49. Şahin S, Ertam I, Gençoğlan G, Akalın T, Kazandi AC, Özdemir F. Küçük konjenital melanositik nevüs orijinli birmelanom öyküsü ve Bowen hastalığı ile raslantısal birliktelik. *Turkiye Klinikleri J Dermatol* 2006;16:209-12.
50. Ersoy Evans S, Şahin S, Özkaya Ö. Yüz yerleşimli solar lentigo'da dermoskopik özellikler. *Turkiye Klinikleri J Dermatol* 2006;16:90-3.
51. Kuşku E, Lebe B, Soyal MC, Demirtaşoğlu M, Akarsu S, İlknur T, Güneş AT, Özkan Ş. Nevus nevosellarislerin dermatoskopik ve histopatolojik özelliklerinin ve bu özelliklerin arasındaki korelasyonların değerlendirilmesi. *Turkiye Klinikleri J Dermatol* 2006;16:1-6.
52. Dereli T, Kılınç I, Gençoğlan G, Aydemir Ş. Dermoskopide immersiyon yağı yağı yerine alkol bazlı jel kullanımının avantajları. *Türkderm* 2006;40:87-9.
53. Türel Ermertcan A, Şahin MT, Öztürkcan S. Benign melanositik nevus ve displastik nevuslerin dermatoskopiközelliklerinin ve gözlemciler arası farklılıkların değerlendirilmesi. *Turkiye Klinikleri J Dermatol* 2004;14:142-8.
54. Ertam I, Ünal İ, Özdemir F, Erboz S. Pigmente deri lezyonlarının epilüminesans mikroskopi sonuçları ve lokalizasyon özellikleri. *Turkiye Klinikleri J Dermatol* 2002;12:193-7.
55. Özdemir F, Ünal İ, Ceylan C, Ertam Ü. Bölgemizde görülen Clark nevüslerin dermatoskopik klafisikasyonu. *Türkderm* 2001;35:300-6.
56. Ceylan C, Özdemir F, Kazandi A. Pigmente bazal hücreli karsinomda yeni tanımlanan dermatoskopik kriterler ve tanısal değeri. *Türkderm* 2001;35:293-8.
57. Soyal CM, Fetil E, Papuçcuoğlu U, Güneş AT. Nonmelanositer dökülerde klinik, dermatoskopik ve histopatolojik bulguların değerlendirilmesi. *Türkderm* 2000;34:26-33.
58. Kundak S, Fetil E. Dermatoskopik bakı ile tumoral dökülerin vasküler yapısının incelenmesi. *Turkiye Klinikleri J Dermatol* 1999;9:225-31.